

**NOTICE OF SECOND POST-HEARING MODIFICATIONS TO TEXT OF  
PROPOSED REGULATIONS  
TO  
BUILDING STANDARDS  
OF THE  
DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT  
REGARDING THE 2013 CALIFORNIA GREEN BUILDING STANDARDS CODE  
(CALGREEN)  
CALIFORNIA CODE OF REGULATIONS, TITLE 24, PART 11  
(HCD 05/13)**

The California Building Standards Commission (CBSC) on behalf of the Department of Housing and Community Development (HCD) is providing notice of amendments made to proposed regulations, Sections 4.106.4.2.1 and 4.106.4.2.2, which previously were the subject of both a 15-day public comment period ending on June 26, 2014, and a 45-day public comment period ending June 9, 2014.

These amendments are in response to a California Building Standards Commission request for HCD's further consideration of proposed Section 4.106.4.2.1 "Electric vehicle charging station (EVCS) dimensions and slope". Specifically, Commission members requested an increase in the proposed aisle requirements during the California Building Standards Commission meeting held on July 22, 2014. After evaluating the Commission action, HCD has modified existing text and developed language to increase the aisle requirement in Section 4.106.4.2.1. Since Sections 4.106.4.2.1 and 4.106.4.2.2 are related, it was also necessary to modify Section 4.106.4.2.2 for compatibility. HCD invites all stakeholders and interested parties to review the newly revised text of both sections and provide feedback, if any, as noted below.

The CBSC will accept written comments for at least 45 days between **August 11, 2014** and **September 25, 2014**. All written comments must be submitted to the CBSC no later than 5:00 p.m. on September 25, 2014, and addressed to:

**California Building Standards Commission  
2525 Natomas Park Drive, Suite 130  
Sacramento, CA 95833  
Attention: Jim McGowan, Executive Director**

Written comments may also be faxed to (916) 263-0959 or e-mailed to [CBSC@dgs.ca.gov](mailto:CBSC@dgs.ca.gov) until 5:00 p.m. on September 25, 2014.

All written comments received by September 25, 2014, which pertain to the indicated changes, will be reviewed and responded to by HCD's staff as part of the compilation of the rulemaking file. Please limit comments to the modifications to the text only.

The proposed modifications to the text and a comment form may be found on the CBSC website at the following link:  
<http://www.bsc.ca.gov/Rulemaking/adoptcycle/2013CodeCycle/45dayPublicCommentPeriod/3rd45DayPublicCommentPeriod.aspx>.

